

## Calcium Hardness No.1 Liquid

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 - Product identifier

Trade name/designation Calcium Hardness No.1 Liquid

Chemical name

Product-type Mixture

Product code POL20CaH1

#### 1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - Reagent for water analysis

#### 1.3 - Details of the supplier of the safety data sheet

Water-I.D. GmbH

Daimlerstr. 20

76344 Eggenstein Germany

Telephone : +49 (0) 721 - 78 20 29 - 0 Fax +49 (0) 721 - 78 20 29 - 11

Website [www.water-id.com](http://www.water-id.com)

EHS / Compliance: [lab@water-id.com](mailto:lab@water-id.com)

#### 1.4 - Emergency telephone number

- Giftnotruf München

Ismaninger Straße 22, 81675 München

Tel.: + 49 (0) 89/19240 Germany

### SECTION 2: Hazards identification

#### 2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2	Irritation, Category 2
Eye Irrit. 2	Eye irritation - Category 2
Skin Sens. 1	Skin sensitization - Category 1

#### 2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: (CAS No.: 110-16-7)

Signal word : Warning

Hazard pictograms



Hazard statements

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

Precautionary statements

## Calcium Hardness No.1 Liquid

P261	Avoid breathing mist, vapours, spray.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves, protective clothing, eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of container to an appropriate recycling or disposal facility.
EUH-phrases	
EUH208	Contains New product (110-16-7) . May produce an allergic reaction

### 2.3 - Other hazards

## SECTION 3: Composition / information on ingredients

### 3.1 - Substances

Not applicable

### 3.2 - Mixtures

Chemical name	No	%	Class	Spec. concentrations
	CAS No. : 110-16-7 Index No. : 607-095-00-3 EC No. : 203-742-5	< 2,5	Acute Tox. 4 Dermal - H312 Acute Tox. 4 Oral - H302 Eye Irrit. 2 - H319 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 (H335) - H335	Skin Sens. 1 - H317 : 0,1>=%<=100

## SECTION 4: First aid measures

### 4.1 - Description of first aid measures

<u>Following inhalation</u>	- No special measures are necessary. - Provide fresh air.
<u>Following skin contact</u>	- After contact with skin, wash immediately with plenty of water and soap. - In case of skin irritation, consult a physician. - In case of skin reactions, consult a physician.
<u>After eye contact</u>	- Rinse immediately carefully and thoroughly with eye-bath or water. - In case of eye irritation consult an ophthalmologist.
<u>After ingestion</u>	- Rinse mouth thoroughly with water. - Do NOT induce vomiting.

### 4.2 - Most important symptoms and effects, both acute and delayed

<u>Symptoms and effects - Following inhalation</u>	- No information available.
--	-----------------------------

---

## Calcium Hardness No.1 Liquid

---

Symptoms and effects - Following skin contact - Causes skin irritation.

Symptoms and effects - After eye contact - Causes eye irritation.

Symptoms and effects - After ingestion - No information available.

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.

---

### SECTION 5: Firefighting measures

---

5.1 - Extinguishing media

Suitable extinguishing media

- ABC-powder
- Carbon dioxide (CO<sub>2</sub>)
- Foam
- Extinguishing powder

Unsuitable extinguishing media - Full water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture - No information available.

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.

---

### SECTION 6: Accidental release measures

---

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel - Use personal protection equipment.

For emergency responders - No information available.

6.2 - Environmental precautions

- No information available.

6.3 - Methods and material for containment and cleaning up

Methods and material for containment - No information available.

Methods and material for cleaning up

- Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
- Wash with plenty of water.

Inappropriate techniques - No information available.

6.4 - Reference to other sections

- Disposal: see section 13

- Personal protection equipment: see section 8

---

### SECTION 7: Handling and storage

---

7.1 - Precautions for safe handling

## Calcium Hardness No.1 Liquid

### Recommendation

- Avoid: Eye contact
- It is recommended to design all work processes always so that the following is excluded: Eye contact
- Avoid: Skin contact
- It is recommended to design all work processes always so that the following is excluded: Skin contact

### Advices on general occupational hygiene

- No information available.

### 7.2 - Conditions for safe storage, including any incompatibilities

- No information available.

### 7.3 - Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1 - Control parameters

#### **New product (110-16-7)**

TRGS900 mg/m <sup>3</sup> (DE)	10 mg/m <sup>3</sup>
TRGS900 Spitzenbegrenzung mg/m <sup>3</sup> (DE)	20 mg/m <sup>3</sup>

### 8.2 - Exposure controls

#### Appropriate engineering controls

- No information available.

#### Individual protection measures, such as personal protective equipment

- Suitable eye protection: Eye glasses with side protection



- Suitable protective clothing: lab coat



- Tested protective gloves must be worn



- For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- Barrier creams are not substitutes for body protection.

## SECTION 9: Physical and chemical properties

### 9.1 - Information on basic physical and chemical properties

#### Physical state

Liquid

#### Appearance

Liquid

#### Colour

colourless

#### Odour

odourless

## Calcium Hardness No.1 Liquid

Odour threshold	No data available
pH	5,5 @ 20°C
Melting point	No data available
Freezing point	No data available
Boiling point	100 °C
Flash point	No data available
Evaporation rate	No data available
flammability	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Density	1 g/cm <sup>3</sup> @ 20°C
Solubility (Water)	100 %
Solubility (Ethanol)	No data available
Solubility (Acetone)	No data available
Solubility (Organic solvents)	No data available
Log KOC	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

### 9.2 - Other information

VOC content	No data available
Minimum ignition energy	No data available
Conductivity	No data available

## SECTION 10: Stability and reactivity

### 10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

### 10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

### 10.4 - Conditions to avoid

- No information available.

### 10.5 - Incompatible materials

- No information available.

### 10.6 - Hazardous decomposition products

## Calcium Hardness No.1 Liquid

- Does not decompose when used for intended uses.

### SECTION 11: Toxicological information

#### 11.1 - Information on toxicological effects

Acute toxicity - Not classified

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

Toxicity : Substances

New product (110-16-7)	
LD50 oral (rat)	708 mg/kg
LD50 dermal (rabbit)	1560 mg/kg

Skin corrosion/irritation - Irritation, Category 2 - Causes skin irritation

- Irritating to skin.

Serious eye damage/eye irritation - Eye irritation - Category 2 - Causes serious eye irritation

- Irritating to eyes.

Respiratory or skin sensitisation - Skin sensitization - Category 1 - May cause an allergic skin reaction

- May cause sensitization by skin contact.  
- May cause an allergic skin reaction.

Germ cell mutagenicity - Not classified

Carcinogenicity - Not classified

Reproductive toxicity - Not classified

STOT-single exposure - Not classified

STOT-repeated exposure - Not classified

Aspiration hazard - Not classified

### SECTION 12: Ecological information

#### 12.1 - Toxicity

Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available

## Calcium Hardness No.1 Liquid

ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

### Toxicity : Substances

New product (110-16-7)	
EC50 48 hr crustacea	42,81 mg/l
ErC50 algae	74,35 mg/l

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

### 12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

### 12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

### 12.4 - Mobility in soil

- No information available.

### 12.5 - Results of PBT and vPvB assessment

### 12.6 - Other adverse effects

- No information available.

## SECTION 13: Disposal considerations

### 13.1 - Waste treatment methods

Waste treatment methods - Dispose of waste according to applicable legislation.

Sewage disposal - No information available.

Special precautions for waste treatment - No information available.

Community or national or regional provisions - No information available.

## SECTION 14: Transport information

### 14.1 - UN number

Not applicable

## Calcium Hardness No.1 Liquid

14.2 - UN proper shipping name

14.3 - Transport hazard class(es)

14.4 - Packing group

14.5 - Environmental hazards

14.6 - Special precautions for user

14.7 - Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates None

Substances Annex XIV None

Substances Annex XVII None

VOC content No data available

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

### SECTION 16: Other information

SDS versions

Version	Issue date	Description of the amendments
1	12.10.2018	Creation of MSDS

Texts of the regulatory sentences

Acute Tox. 4 Dermal	Acute toxicity (dermal) - Category 4
Acute Tox. 4 Oral	Acute toxicity (oral) - Category 4
Eye Irrit. 2	Eye irritation - Category 2
H302+H312	Harmful if swallowed or in contact with skin.
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
Skin Irrit. 2	Irritation, Category 2
Skin Sens. 1	Skin sensitization - Category 1
STOT SE 3 (H335)	STOT-single exposure - Category 3 (H335)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



---

## Calcium Hardness No.1 Liquid

---

\*\*\* \*\*